

sling

---



Sling bench can be used individually or in groups to create dynamic seating within a scheme.



The Iroko hardwood seat top creates a comfortable and hardwearing solution, but alternatives are also available to suit your scheme.

e: [enquiries@citysquared.co.uk](mailto:enquiries@citysquared.co.uk)  
w: [citysquared.co.uk](http://citysquared.co.uk)  
t: +44 (0)870 420 2468  
f: +44 (0)113 244 1616






The bench's stainless steel frame cantilevers off of a root fixing, to provide an informal seating provision.



**citysquared**  
street furniture

*Dimensions are in mm, are approximate and do not form any part of the contract. We reserve the right to change the design and specification on any item offered and, where possible, notification will be made.*  
© 2011 Copyright. Reproduction prohibited.

# technical specification



- product:** sling bench  
**materials:** stainless steel frame, iroko hardwood seat top with an oil finish  
**maintenance:** depends on useage and conditions, refer to product care section  
**foundation:** 400mm deep root fixing below ground level  
**fixings:** core drilled with epoxy resin fixing

e: [enquiries@citysquared.co.uk](mailto:enquiries@citysquared.co.uk)  
w: [citysquared.co.uk](http://citysquared.co.uk)  
t: +44 (0)870 420 2468  
f: +44 (0)113 244 1616

**citysquared**  
street furniture

*Dimensions are in mm, are approximate and do not form any part of the contract. We reserve the right to change the design and specification on any item offered and, where possible, notification will be made.*  
© 2011 Copyright. Reproduction prohibited.